



## Photo Parameters

Flux = 286.7 lm Eff. : 65.9 lm/W CRI=93

## Polar curve / Diagrama Polar



## Conic curve / Diagrama Cónico



## UGR

### Glare evaluation according to UGR

$\rho$ Ceiling	70	70	50	50	30	70	70	50	50	30
$\rho$ Walls	50	30	50	30	30	50	30	50	30	30
$\rho$ Floor	20	20	20	20	20	20	20	20	20	20

Room size X	Y	Viewing direction at right angles					Viewing direction parallel				
2H	2H	15.6	16.8	16.1	17.2	17.7	15.6	16.8	16.1	17.2	17.7
2H	3H	16.9	18.0	17.4	18.5	19.0	16.9	18.0	17.4	18.5	19.0
2H	4H	17.6	18.6	18.1	19.1	19.7	17.6	18.6	18.1	19.1	19.7
2H	6H	18.2	19.1	18.7	19.7	20.2	18.2	19.1	18.7	19.7	20.2
2H	8H	18.5	19.4	19.0	19.9	20.5	18.5	19.4	19.0	19.9	20.5
2H	12H	18.7	19.6	19.3	20.1	20.7	18.7	19.6	19.3	20.1	20.7
4H	2H	16.1	17.1	16.6	17.6	18.2	16.1	17.1	16.6	17.6	18.2
4H	3H	17.7	18.5	18.2	19.1	19.7	17.7	18.5	18.2	19.1	19.7
4H	4H	18.5	19.3	19.1	19.8	20.5	18.5	19.3	19.1	19.8	20.5
4H	6H	19.3	20.0	19.9	20.6	21.2	19.3	20.0	19.9	20.6	21.2
4H	8H	19.6	20.3	20.2	20.9	21.5	19.6	20.3	20.2	20.9	21.5
4H	12H	19.9	20.5	20.6	21.1	21.8	19.9	20.5	20.6	21.1	21.8
8H	4H	18.8	19.5	19.4	20.1	20.7	18.8	19.5	19.4	20.1	20.7
8H	6H	19.8	20.3	20.4	20.9	21.7	19.8	20.3	20.4	20.9	21.7
8H	8H	20.2	20.7	20.9	21.4	22.1	20.2	20.7	20.9	21.4	22.1
8H	12H	20.7	21.1	21.4	21.8	22.5	20.7	21.1	21.4	21.8	22.5
12H	4H	18.9	19.4	19.5	20.1	20.8	18.9	19.4	19.5	20.1	20.8
12H	6H	19.9	20.4	20.5	21.0	21.7	19.9	20.4	20.5	21.0	21.7
12H	8H	20.4	20.8	21.1	21.5	22.3	20.4	20.8	21.1	21.5	22.3

Variation of the observer position for the luminaire distance S

S = 1.0H	+0.1 / -0.1	+0.1 / -0.1
S = 1.5H	+0.2 / -0.4	+0.2 / -0.4
S = 2.0H	+0.4 / -0.7	+0.4 / -0.7
Standard table	BK07	BK07
Correction summand	3.9	3.9

Corrected glare indices referring to 283 lm total luminous flux